

ANCHORAGE



Colour / Pattern Name:
Birch*


Swatch Code:
AN40

Swatches


[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE


Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	1
Content	65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
Width	66"/168 cm
Weight	15.0 +/-1.0 oz./lin. yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class A




Birch*
AN40




Green Apple
AN41




Lapis
AN42




Straw
AN43




Wolf
AN44



Goose
AN45




Angora
AN46



Cumin
AN47




Asteroid
AN48



Geranium
AN49



Thistle
AN50




Graphite
AN51



Slate
AN52



Quarry Blue
AN53



Onyx
AN54



Pumpkin
AN55



Red Delicious
AN56



Sunshine*
AN57



Waterfall
AN59



Vanilla
AN61




Cobalt
AN62



Cloud*
AN64

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

AURORA



Colour / Pattern Name: Cloud Swatch Code: AU20

Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product.
Grade	1
Content	100% Polyester, 80% minimum Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	12.94 oz/lin.yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 4.5
Flammability	CAL 117-2013
Crocking	AATCC-8 Class 4
Yarn Breaking	ASTM D5034-95 Warp: 307 lbs, Fill: 210 lbs



Cloud
AU20



Seal
AU21



Fog
AU22



Pewter
AU23



Granite
AU24



Oat
AU25



Coconut
AU26



Latte
AU27




Lake
AU28



Frost
AU29

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

CYCLONE




Colour / Pattern Name:
Stove Pipe*

Swatch Code:
IM37

Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	2
Content	56% Post-Consumer Recycled Polyester, 44% Virgin Polyester
Width	66"/168cm
Weight	15.5 +/- 0.5 oz./lin. yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	California Technical Bulletin 117 (Section E)
Crocking	AATCC-8 Class 4
Yarn Breaking	ASTM D5034-95 Warp: 190 lbs, Fill: 150 lbs



Stove Pipe*
IM37



Stainless*
IM40



Polished
Pewter*
IM41



Welded Steel*
IM43



Etched
Bronze*
IM44



Fired
Titanium*
IM46



Chrome*
IM49



Dark
Annealed*
IM50



Karat*
IM54



Red Metal*
IM55



Oxidized
Bronze*
IM56



Bright Ray*
IM57



Bismuth
Crystal*
IM58



Gallium Blue*
IM59

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

DASHING



Colour / Pattern Name:
Classic Silver

Swatch Code:
DS21

Swatches

[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product.
Grade	2
Content	100% Eco Intelligent Polyester
Width	66"/168cm
Weight	10.9 oz. / lin.yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	CAL 117-2013
Crocking	AATCC-8 Class 5
Yarn Breaking	ASTM D5034-95 Warp: 240.6 lbs, Fill: 191.3 lbs



Classic Silver
DS21



Refined
Marble
DS22



Antique Sage
DS23



Polished
Slate
DS24



Gentle
Beige
DS25



Bespoke Tan
DS26



Dapper Grey
DS27

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

LINEA



Colour / Pattern Name:
Cable*

Swatch Code:
LN47


Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	1
Content	100% Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	11 oz / lin.yd.
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 5
Seam Slippage	ASTM D4034
Yarn Breaking	ASTM D5034-95 Warp: 100 lbs, Fill: 100 lbs



Cable*
LN47



Contour
LN45



Cord*
LN42



Queue
LN41



Route*
LN48



Silhouette
LN46



Thread*
LN44



Twine*
LN43

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

LOOPY



Colour / Pattern Name:
Oyster

Swatch Code:
LP60

Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product.
Grade	1
Content	100% Post-Industrial Polyester
Width	66"/168cm
Weight	10.4 +/- 0.3 oz. / lin.yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 4
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 3.5
Yarn Breaking	ASTM D5034-95 Warp: 266 lbs, Fill: 203 lbs



Oyster
LP60



Putty
LP61



Marble
LP62



Hazelnut
LP63



Latte
LP64



Bay
LP65




Harbor
LP67



Wild rice
LP66

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

MELODY



Colour / Pattern Name:
Spray

Swatch Code:
ME40

Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product.
Grade	1
Content	100% Recycled Polyester
Width	66"/168cm
Weight	11.6 +/- 0.5 oz. / lin.yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 4
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 4
Yarn Breaking	ASTM D5034-95 Warp: 225 lbs, Fill: 100 lbs



Spray
ME40



Pond
ME41



Sand Bar
ME42



Silt
ME43



Pebble
ME44



Lake
ME45



Gravel
ME46



Boulder
ME47

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

MERGE




Colour / Pattern Name:
FAWN

Swatch Code:
MG20


Swatches
[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product.
Grade	1
Content	100% Polyester, 75% minimum Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	16.2 oz/lin.yrd
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 4.5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class A
Crocking	AATCC-8 Class 4
Yarn Breaking	ASTM D5034 Warp: 325 lbs, Fill: 275 lbs




FAWN
MG20



MARSHMALLOW
MG21



DRIFTWOOD
MG22



DOVE
MG23




GRAPHITE
MG24



SLATE
MG25



EUCALYPTUS
MG26



FIRE ENGINE
MG27




MEDITERRANEAN
MG28



MIDNIGHT
MG29

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

PINPOINT

**Colour / Pattern Name:**

Bliss*

Swatch Code:

PN11

Swatches[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	1
Content	100% Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	11 oz / lin.yd.
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 5
Yarn Breaking	ASTM D5034-95 Warp: 100 lbs, Fill: 100 lbs




Bliss*
PN11



Delight*
PN12



Dune*
PN13



Infusion
PN14



Ebony.
PN15



Fresh
PN16




Carrot*
PN17



Splash
PN18




Vibe
PN19



Gala
PN20

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

STREAK



Colour / Pattern Name:

Beach*

Swatch Code:

SR81

Swatches

[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	1
Content	100% Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	11 oz / lin.yd.
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 5
Yarn Breaking	ASTM D5034-95 Warp: 100 lbs, Fill: 100 lbs



Beach*
SR81



Shade*
SR86




Stretch*
SR88




Sprint*
SR89



Roll*
SR91



Dart
SR92



Zoom
SR93



Splash
SR94




Whiz*
SR95



Flash*
SR96

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website

TEK



Colour / Pattern Name:

Finesse

Swatch Code:

TX60

Swatches

[Request a Swatch](#)

SPECIFICATIONS & PERFORMANCE

Application	Category 1A and Category 6 panels and fabric dividers. Availability may vary by product. *Not recommended for high contrast frame colours (i.e. Black, Charcoal, Designer White)
Grade	1
Content	100% Post-Consumer Recycled Polyester
Width	66"/168cm
Weight	11 oz / lin.yd.
Cleaning	WS - Water and Solvents
Light Fastness	AATCC-16A Class 5
Flammability	ASTM E-84, California Technical Bulletin 117 (Section E) Class 1 or A
Crocking	AATCC-8 Class 5
Seam Slippage	ASTM D4034
Yarn Breaking	ASTM D5034-09 Chaîne : 100 lb; Trame : 100 lb



Finesse
TX60



Grain*
TX61



Essence*
TX62



Warp
TX64



Mesh
TX67




Form
TX69




Spice*
TX71



Glacier
TX72



Spring*
TX73



Harmony*
TX74



Smoke
TX75



Pebble*
TX76

* Due to color variations on different monitors and color printers, if you are concerned about exact color and texture matches, etc. and wish to clarify, we recommend that you first request a sample, to ensure proper color representation. Please contact your local Global Dealer for more information or to order a sample. Global cannot be held responsible for any selections of colors from this website